


M5 Screw Threaded (M5 * 0.5) Metal Nut

Panel Cut-Out



Assemble Style



PCB 90°
(R) Receptacle



PCB 180°
(P) Receptacle



Solder
(S) Receptacle

Number of Contacts	3	
Rated Voltage (AC/DC)	48V (AC) / 60V (DC)	
Nominal current	1A	
Pin Assignment	MM	FF
MM : Male Connector Male Contact FF : Female Connector Female Contact		

M5 X 0.5 Bulkhead / Receptacle, Hexagonal Flange, **FRONT** Fastened Nut (Female Nut = M7 X 0.75), IP67

Nut Torque Value: 5 ~ 8 kgf-cm | Recommend Panel Thickness: Max 2.0 mm

	Metal Nut	Solder Pins	M5-03PMMS-SF7001*	M5-03PFFS-SF7001*
		Straight PCB	M5-03PMMP-SF7001*	M5-03PFFP-SF7001*
	Shielded	Right Angle PCB	M5-03PMMR-SF7001*	M5-03PFFR-SF7001*
		Solder Pins	M5S-03PMMS-SF7001*	M5S-03PFFS-SF7001*
	Stainless	Straight PCB	M5S-03PMMP-SF7001*	M5S-03PFFP-SF7001*
		Right Angle PCB	M5S-03PMMR-SF7001*	M5S-03PFFR-SF7001*
	Stainless Shielded	Solder Pins	SM5S-03PMMS-SF7001*	SM5S-03PFFS-SF7001*
		Straight PCB	SM5S-03PMMP-SF7001*	SM5S-03PFFP-SF7001*
		Right Angle PCB	SM5S-03PMMR-SF7001*	SM5S-03PFFR-SF7001*

M5 Bulkhead / Receptacle With UL1061 PVC Wires, Hexagonal Flange, **FRONT** Fastened Nut, IP67

⑩ Wire Length: (10) 100mm ~ (95) 950mm (per 50mm) | (A0) 1,000mm ~ (A5) 1,500mm (Per 100mm) | Standard Lengths: (25) 250mm and (50) 500mm

	Metal Nut	M5-03PMMS-SF7A⑩*	M5-03PFFS-SF7A⑩*
	Shielded	M5S-03PMMS-SF7A⑩*	M5S-03PFFS-SF7A⑩*
	Stainless	SM5-03PMMS-SF7A⑩*	SM5-03PFFS-SF7A⑩*
	Stainless Shielded	SM5S-03PMMS-SF7A⑩*	SM5S-03PFFS-SF7A⑩*

M5 x 0.5 Bulkhead / Receptacle, Hexagonal Flange, **REAR** Fastened Nut (Female Nut = M7 X 0.75), IP67

Nut Torque Value: 5 ~ 8 kgf-cm | Recommend Panel Thickness: Max 2.0 mm

	Metal Nut	Solder Pins	M5-03PMMS-SH7001*	M5-03PFFS-SH7001*
	Stainless	Solder Pins	SM5-03PMMS-SH7001*	SM5-03PFFS-SH7001*

M5 Bulkhead / Receptacle With UL1061 PVC Wires, Hexagonal Flange, **REAR** Fastened Nut, IP67

⑩ Wire Length: (10) 100mm ~ (95) 950mm (per 50mm) | (A0) 1,000mm ~ (A5) 1,500mm (Per 100mm) | Standard Lengths: (25) 250mm and (50) 500mm

	Metal Nut	M5-03PMMS-SH7A⑩*	M5-03PFFS-SH7A⑩*
	Stainless	SM5-03PMMS-SH7A⑩*	SM5-03PFFS-SH7A⑩*



STRAIGHT, Overmolded Cable Assembly, Free Cable End, IP67

⑩ Cable Length: (01) 1M ~ (99) 99M. Standard Lengths: 1M, 2M, 3M, 4M, 5M and 10M


	Metal Nut	UL20549, PUR	M5-03BMMM-SL7B⑩*	M5-03BFFM-SL7B⑩*
		UL2517, PVC	M5-03BMMM-SL7D⑩*	M5-03BFFM-SL7D⑩*
	Shielded	UL2103, PVC	M5-03BMMM-SL7F⑩*	M5-03BFFM-SL7F⑩*
		UL20549, PUR	M5S-03BMMM-SL7B⑩*	M5S-03BFFM-SL7B⑩*
	Stainless	UL2517, PVC	M5S-03BMMM-SL7D⑩*	M5S-03BFFM-SL7D⑩*
		UL20549, PUR	SM5-03BMMM-SL7B⑩*	SM5-03BFFM-SL7B⑩*
	Stainless Shielded	UL2517, PVC	SM5-03BMMM-SL7D⑩*	SM5-03BFFM-SL7D⑩*
		UL20549, PUR	SM5S-03BMMM-SL7B⑩*	SM5S-03BFFM-SL7B⑩*
		UL2517, PVC	SM5S-03BMMM-SL7D⑩*	SM5S-03BFFM-SL7D⑩*

*Upon Request

M5 Screw Threaded (M5 * 0.5) Metal Nut


4		6	
48V (AC) / 60V (DC)		48V (AC) / 60V (DC)	
1A		0.8A	
MM	FF	MM	FF
			
M5-04P MMS -SF7001*	M5-04P FFS -SF7001	M5-06P MMS -SF7001*	M5-06P FFS -SF7001*
M5-04P MMP -SF7001*	M5-04P FFP -SF7001	M5-06P MMP -SF7001*	M5-06P FFP -SF7001*
M5-04P MMR -SF7001*	M5-04P FFR -SF7001*	M5-06P MMR -SF7001*	M5-06P FFR -SF7001*
M5S-04P MMS -SF7001*	M5S-04P FFS -SF7001*	M5S-06P MMS -SF7001*	M5S-06P FFS -SF7001*
M5S-04P MMP -SF7001*	M5S-04P FFP -SF7001*	M5S-06P MMP -SF7001*	M5S-06P FFP -SF7001*
M5S-04P MMR -SF7001*	M5S-04P FFR -SF7001*	M5S-06P MMR -SF7001*	M5S-06P FFR -SF7001*
SM5-04P MMS -SF7001*	SM5-04P FFS -SF7001*	SM5-06P MMS -SF7001*	SM5-06P FFS -SF7001*
SM5-04P MMP -SF7001*	SM5-04P FFP -SF7001*	SM5-06P MMP -SF7001*	SM5-06P FFP -SF7001*
SM5-04P MMR -SF7001*	SM5-04P FFR -SF7001*	SM5-06P MMR -SF7001*	SM5-06P FFR -SF7001*
SM5S-04P MMS -SF7001*	SM5S-04P FFS -SF7001*	SM5S-06P MMS -SF7001*	SM5S-06P FFS -SF7001*
SM5S-04P MMP -SF7001*	SM5S-04P FFP -SF7001*	SM5S-06P MMP -SF7001*	SM5S-06P FFP -SF7001*
SM5S-04P MMR -SF7001*	SM5S-04P FFR -SF7001*	SM5S-06P MMR -SF7001*	SM5S-06P FFR -SF7001*
M5-04P MMS -SF7A  *	M5-04P FFS -SF7A  *	M5-06P MMS -SF7A  *	M5-06P FFS -SF7A  *
M5S-04P MMS -SF7A  *	M5S-04P FFS -SF7A  *	M5S-06P MMS -SF7A  *	M5S-06P FFS -SF7A  *
SM5-04P MMS -SF7A  *	SM5-04P FFS -SF7A  *	SM5-06P MMS -SF7A  *	SM5-06P FFS -SF7A  *
SM5S-04P MMS -SF7A  *	SM5S-04P FFS -SF7A  *	SM5S-06P MMS -SF7A  *	SM5S-06P FFS -SF7A  *
M5-04P MMS -SH7001*	M5-04P FFS -SH7001*	M5-06P MMS -SH7001*	M5-06P FFS -SH7001*
SM5-04P MMS -SH7001*	SM5-04P FFS -SH7001*	SM5-06P MMS -SH7001*	SM5-06P FFS -SH7001*
M5-04P MMS -SH7A  *	M5-04P FFS -SH7A  *	M5-06P MMS -SH7A  *	M5-06P FFS -SH7A  *
SM5-04P MMS -SH7A  *	SM5-04P FFS -SH7A  *	SM5-06P MMS -SH7A  *	SM5-06P FFS -SH7A  *
M5-04B MMM -SL7B  *	M5-04B FFM -SL7B  *	M5-06B MMM -SL7B  *	M5-06B FFM -SL7B  *
M5-04B MMM -SL7D  *	M5-04B FFM -SL7D  *	M5-06B MMM -SL7D  *	M5-06B FFM -SL7D  *
M5-04B MMM -SL7F  *	M5-04B FFM -SL7F  *	M5-06B MMM -SL7F  *	M5-06B FFM -SL7F  *
M5S-04B MMM -SL7B  *	M5S-04B FFM -SL7B  *	M5S-06B MMM -SL7B  *	M5S-06B FFM -SL7B  *
M5S-04B MMM -SL7D  *	M5S-04B FFM -SL7D  *	M5S-06B MMM -SL7D  *	M5S-06B FFM -SL7D  *
SM5-04B MMM -SL7B  *	SM5-04B FFM -SL7B  *	SM5-06B MMM -SL7B  *	SM5-06B FFM -SL7B  *
SM5-04B MMM -SL7D  *	SM5-04B FFM -SL7D  *	SM5-06B MMM -SL7D  *	SM5-06B FFM -SL7D  *
SM5S-04B MMM -SL7B  *	SM5S-04B FFM -SL7B  *	SM5S-06B MMM -SL7B  *	SM5S-06B FFM -SL7B  *
SM5S-04B MMM -SL7D  *	SM5S-04B FFM -SL7D  *	SM5S-06B MMM -SL7D  *	SM5S-06B FFM -SL7D  *

M5 Screw Threaded (M5 * 0.5) Metal Nut

Number of Contacts	3	
Rated Voltage (AC/DC)	48V (AC) / 60V (DC)	
Nominal current	1A	
Pin Assignment	MM	FF
MM: Male Connector Male Contact FF: Female Connector Female Contact		


RIGHT ANGLE, Overmolded Cable Assembly, Free Cable End, IP67

10 Cable Length: (01) 1M ~ (99) 99M. Standard Lengths: 1M, 2M, 3M, 4M, 5M and 10M

	Metal Nut	UL20549, PUR UL2517, PVC	M5-03BMMM-SR7B 10* M5-03BMMM-SR7D 10*	M5-03BFFM-SR7B 10* M5-03BFFM-SR7D 10*
	Shielded	UL20549, PUR UL2517, PVC	M5S-03BMMM-SR7B 10* M5S-03BMMM-SR7D 10*	M5S-03BFFM-SR7B 10* M5S-03BFFM-SR7D 10*
	Stainless	UL20549, PUR UL2517, PVC	SM5-03BMMM-SR7B 10* SM5-03BMMM-SR7D 10*	SM5-03BFFM-SR7B 10* SM5-03BFFM-SR7D 10*
	Stainless Shielded	UL20549, PUR UL2517, PVC	SM5S-03BMMM-SR7B 10* SM5S-03BMMM-SR7D 10*	SM5S-03BFFM-SR7B 10* SM5S-03BFFM-SR7D 10*


STRAIGHT-TO-STRAIGHT, Overmolded Double-Ended Cable Assembly, IP67

10 Cable Length: (001) 1M ~ (099) 99M¹⁾ | Connector / Contact Gender: **(M)** MM, **(F)** FF

	Metal Nut	UL20549, PUR UL2517, PVC	M503ML-5ML-SB 10* M503ML-5ML-SD 10*	M503FL-5FL-SB 10* M503FL-5FL-SD 10*
	Shielded	UL20549, PUR UL2517, PVC	M5S03ML-5SML-SB 10* M5S03ML-5SML-SD 10*	M5S03FL-5SFL-SB 10* M5S03FL-5SFL-SD 10*
	Stainless	UL20549, PUR UL2517, PVC	SM503ML-5ML-SB 10* SM503ML-5ML-SD 10*	SM503FL-5FL-SB 10* SM503FL-5FL-SD 10*
	Stainless Shielded	UL20549, PUR UL2517, PVC	SM5S03ML-5SML-SB 10* SM5S03ML-5SML-SD 10*	SM5S03FL-5SFL-SB 10* SM5S03FL-5SFL-SD 10*


STRAIGHT-TO-RIGHT ANGLE, Overmolded Double-Ended Cable Assembly, IP67

10 Cable Length: (001) 1M ~ (099) 99M¹⁾ | Connector / Contact Gender: **(M)** MM, **(F)** FF

	Metal Nut	UL20549, PUR UL2517, PVC	M503ML-5MR-SB 10* M503ML-5MR-SD 10*	M503 FL-5FR-SB 10* M503 FL-5FR-SD 10*
	Shielded	UL20549, PUR UL2517, PVC	M5S03ML-5SMR-SB 10* M5S03ML-5SMR-SD 10*	M5S03 FL-5SFR-SB 10* M5S03 FL-5SFR-SD 10*
	Stainless	UL20549, PUR UL2517, PVC	SM503ML-5MR-SB 10* SM503ML-5MR-SD 10*	SM503 FL-5FR-SB 10* SM503 FL-5FR-SD 10*
	Stainless Shielded	UL20549, PUR UL2517, PVC	SM5S03ML-5SMR-SB 10* SM5S03ML-5SMR-SD 10*	SM5S03 FL-5SFR-SB 10* SM5S03 FL-5SFR-SD 10*

RIGHT ANGLE-TO-RIGHT ANGLE, Overmolded Double-Ended Cable Assembly, IP67



































































































10 Cable Length: (001) 1M ~ (099) 99M¹⁾ | Connector / Contact Gender: **(M)** MM, **(F)** FF

	Metal Nut	UL20549, PUR UL2517, PVC	M503MR-5MR-SL7B 10* M503MR-5MR-SL7D 10*	M503 FR-5FR-SL7B 10* M503 FR-5FR-SL7D 10*
	Shielded	UL20549, PUR UL2517, PVC	M5S03MR-5SMR-SL7B 10* M5S03MR-5SMR-SL7D 10*	M5S03 FR-5SFR-SL7B 10* M5S03 FR-5SFR-SL7D 10*
	Stainless	UL20549, PUR UL2517, PVC	SM503MR-5MR-SL7B 10* SM503MR-5MR-SL7D 10*	SM503 FR-5FR-SL7B 10* SM503 FR-5FR-SL7D 10*
	Stainless Shielded	UL20549, PUR UL2517, PVC	SM5S03MR-5SMR-SL7B 10* SM5S03MR-5SMR-SL7D 10*	SM5S03 FR-5SFR-SL7B 10* SM5S03 FR-5SFR-SL7D 10*


* Upon Request

¹⁾ Standard Lengths: 1M, 2M, 3M, 4M, 5M and 10M. Higher MOQ Might Apply For Non-Standard Lengths

M5 Screw Threaded (M5 * 0.5) Metal Nut


4		6	
48V (AC) / 60V (DC)		48V (AC) / 60V (DC)	
1A		0.8A	
MM	FF	MM	FF
			
M5-04BMM M-SR7B  *	M5-04BFFM-SR7B  *	M5-06BMM M-SR7B  *	M5-06BFFM-SR7B  *
M5-04BMM M-SR7D  *	M5-04BFFM-SR7D  *	M5-06BMM M-SR7D  *	M5-06BFFM-SR7D  *
M5S-04BMM M-SR7B  *	M5S-04BFFM-SR7B  *	M5S-06BMM M-SR7B  *	M5S-06BFFM-SR7B  *
M5S-04BMM M-SR7D  *	M5S-04BFFM-SR7D  *	M5S-06BMM M-SR7D  *	M5S-06BFFM-SR7D  *
SM5-04BMM M-SR7B  *	SM5-04BFFM-SR7B  *	SM5-06BMM M-SR7B  *	SM5-06BFFM-SR7B  *
SM5-04BMM M-SR7D  *	SM5-04BFFM-SR7D  *	SM5-06BMM M-SR7D  *	SM5-06BFFM-SR7D  *
SM5S-04BMM M-SR7B  *	SM5S-04BFFM-SR7B  *	SM5S-06BMM M-SR7B  *	SM5S-06BFFM-SR7B  *
SM5S-04BMM M-SR7D  *	SM5S-04BFFM-SR7D  *	SM5S-06BMM M-SR7D  *	SM5S-06BFFM-SR7D  *
M504ML-5 ML-SB  *	M504FL-5 FL-SB  *	M506ML-5 ML-SB  *	M506FL-5 FL-SB  *
M504ML-5 ML-SD  *	M504FL-5 FL-SD  *	M506ML-5 ML-SD  *	M506FL-5 FL-SD  *
M5S04ML-5S ML-SB  *	M5S04FL-5S FL-SB  *	M5S06ML-5S ML-SB  *	M5S06FL-5S FL-SB  *
M5S04ML-5S ML-SD  *	M5S04FL-5S FL-SD  *	M5S06ML-5S ML-SD  *	M5S06FL-5S FL-SD  *
SM504ML-5 ML-SB  *	SM504FL-5 FL-SB  *	SM506ML-5 ML-SB  *	SM506FL-5 FL-SB  *
SM504ML-5 ML-SD  *	SM504FL-5 FL-SD  *	SM506ML-5 ML-SD  *	SM506FL-5 FL-SD  *
SM5S04ML-5S ML-SB  *	SM5S04FL-5S FL-SB  *	SM5S06ML-5S ML-SB  *	SM5S06FL-5S FL-SB  *
SM5S04ML-5S ML-SD  *	SM5S04FL-5S FL-SD  *	SM5S06ML-5S ML-SD  *	SM5S06FL-5S FL-SD  *
M504ML-5 MR-SB  *	M504FL-5 FR-SB  *	M506ML-5 MR-SB  *	M506FL-5 FR-SB  *
M504ML-5 MR-SD  *	M504FL-5 FR-SD  *	M506ML-5 MR-SD  *	M506FL-5 FR-SD  *
M5S04ML-5S MR-SB  *	M5S04FL-5S FR-SB  *	M5S06ML-5S MR-SB  *	M5S06FL-5S FR-SB  *
M5S04ML-5S MR-SD  *	M5S04FL-5S FR-SD  *	M5S06ML-5S MR-SD  *	M5S06FL-5S FR-SD  *
SM504ML-5 MR-SB  *	SM504FL-5 FR-SB  *	SM506ML-5 MR-SB  *	SM506FL-5 FR-SB  *
SM504ML-5 MR-SD  *	SM504FL-5 FR-SD  *	SM506ML-5 MR-SD  *	SM506FL-5 FR-SD  *
SM5S04ML-5S MR-SB  *	SM5S04FL-5S FR-SB  *	SM5S06ML-5S MR-SB  *	SM5S06FL-5S FR-SB  *
SM5S04ML-5S MR-SD  *	SM5S04FL-5S FR-SD  *	SM5S06ML-5S MR-SD  *	SM5S06FL-5S FR-SD  *
M504MR-5 MR-SL7B  *	M504FR-5 FR-SL7B  *	M506MR-5 MR-SL7B  *	M506FR-5 FR-SL7B  *
M504MR-5 MR-SL7D  *	M504FR-5 FR-SL7D  *	M506MR-5 MR-SL7D  *	M506FR-5 FR-SL7D  *
M5S04MR-5S MR-SL7B  *	M5S04FR-5S FR-SL7B  *	M5S06MR-5S MR-SL7B  *	M5S06FR-5S FR-SL7B  *
M5S04MR-5S MR-SL7D  *	M5S04FR-5S FR-SL7D  *	M5S06MR-5S MR-SL7D  *	M5S06FR-5S FR-SL7D  *
SM504MR-5 MR-SL7B  *	SM504FR-5 FR-SL7B  *	SM506MR-5 MR-SL7B  *	SM506FR-5 FR-SL7B  *
SM504MR-5 MR-SL7D  *	SM504FR-5 FR-SL7D  *	SM506MR-5 MR-SL7D  *	SM506FR-5 FR-SL7D  *
SM5S04MR-5S MR-SL7B  *	SM5S04FR-5S FR-SL7B  *	SM5S06MR-5S MR-SL7B  *	SM5S06FR-5S FR-SL7B  *
SM5S04MR-5S MR-SL7D  *	SM5S04FR-5S FR-SL7D  *	SM5S06MR-5S MR-SL7D  *	SM5S06FR-5S FR-SL7D  *

M5 Screw Threaded (M5 * 0.5) Metal Nut

Number of Contacts	3
Rated Voltage (AC/DC)	48V (AC) / 60V (DC)
Nominal current	1A
Pin Assignment	MF FM
MF: Male Connector Female Contact FM: Female Connector Male Contact	


STRAIGHT-TO-STRAIGHT, Overmolded Double-Ended Cable Assembly, IP67

¹⁰ Cable Length: (001) 1M ~ (099) 99M¹⁾ | Connector / Contact Gender: **(M)** MM, **(F)** FF

	Metal Nut	UL20549, PUR	M503ML-5FL-SL7B ^{10*}	-
		UL2517, PVC	M503ML-5FL-SL7D ^{10*}	-
	Shielded	UL20549, PUR	M5S03ML-5SFL-SL7B ^{10*}	-
		UL2517, PVC	M5S03ML-5SFL-SL7D ^{10*}	-
	Stainless	UL20549, PUR	SM503ML-5FL-SL7B ^{10*}	-
		UL2517, PVC	SM503ML-5FL-SL7D ^{10*}	-
	Stainless Shielded	UL20549, PUR	SM5S03ML-5SFL-SL7B ^{10*}	-
		UL2517, PVC	SM5S03ML-5SFL-SL7D ^{10*}	-


RIGHT ANGLE-TO-RIGHT ANGLE, Overmolded Double-Ended Cable Assembly, IP67

¹⁰ Cable Length: (001) 1M ~ (099) 99M¹⁾ | Connector / Contact Gender: **(M)** MM, **(F)** FF

	Metal Nut	UL20549, PUR	M503MR-5FR-SL7B ^{10*}	-
		UL2517, PVC	M503MR-5FR-SL7D ^{10*}	-
	Shielded	UL20549, PUR	M5S03MR-5SFR-SL7B ^{10*}	-
		UL2517, PVC	M5S03MR-5SFR-SL7D ^{10*}	-
	Stainless	UL20549, PUR	SM503MR-5FR-SL7B ^{10*}	-
		UL2517, PVC	SM503MR-5FR-SL7D ^{10*}	-
	Stainless Shielded	UL20549, PUR	SM5S03MR-5SFR-SL7B ^{10*}	-
		UL2517, PVC	SM5S03MR-5SFR-SL7D ^{10*}	-

STRAIGHT-TO-RIGHT ANGLE, Overmolded Double-Ended Cable Assembly, IP67



¹⁰ Cable Length: (001) 1M ~ (099) 99M¹⁾ | Connector / Contact Gender: **(M)** MM, **(F)** FF

	Metal Nut	UL20549, PUR	M503ML-5FR-SL7B ^{10*}	M503FL-5MR-SL7B ^{10*}
		UL2517, PVC	M503ML-5FR-SL7D ^{10*}	M503FL-5MR-SL7D ^{10*}
	Shielded	UL20549, PUR	M5S03ML-5SFR-SL7B ^{10*}	M5S03FL-5SMR-SL7B ^{10*}
		UL2517, PVC	M5S03ML-5SFR-SL7D ^{10*}	M5S03FL-5SMR-SL7D ^{10*}
	Stainless	UL20549, PUR	SM503ML-5FR-SL7B ^{10*}	SM503FL-5MR-SL7B ^{10*}
		UL2517, PVC	SM503ML-5FR-SL7D ^{10*}	SM503FL-5MR-SL7D ^{10*}
	Stainless Shielded	UL20549, PUR	SM5S03ML-5SFR-SL7B ^{10*}	SM5S03FL-5SMR-SL7B ^{10*}
		UL2517, PVC	SM5S03ML-5SFR-SL7D ^{10*}	SM5S03FL-5SMR-SL7D ^{10*}

* Upon Request

¹⁾ Standard Lengths: 1M, 2M, 3M, 4M, 5M and 10M. Higher MOQ Might Apply For Non-Standard Lengths

M5 Screw Threaded (M5 * 0.5) Metal Nut

4		6	
48V (AC) / 60V (DC)		48V (AC) / 60V (DC)	
1A		0.8A	
MF	FM	MF	FM
			
M504ML-5 FL-SL7B ¹⁰ *	-	M506ML-5 FL-SL7B ¹⁰ *	-
M504ML-5 FL-SL7D ¹⁰ *	-	M506ML-5 FL-SL7D ¹⁰ *	-
M5S04ML-5S FL-SL7B ¹⁰ *	-	M5S06ML-5S FL-SL7B ¹⁰ *	-
M5S04ML-5S FL-SL7D ¹⁰ *	-	M5S06ML-5S FL-SL7D ¹⁰ *	-
SM504ML-5 FL-SL7B ¹⁰ *	-	SM506ML-5 FL-SL7B ¹⁰ *	-
SM504ML-5 FL-SL7D ¹⁰ *	-	SM506ML-5 FL-SL7D ¹⁰ *	-
SM5S04ML-5S FL-SL7B ¹⁰ *	-	SM5S06ML-5S FL-SL7B ¹⁰ *	-
SM5S04ML-5S FL-SL7D ¹⁰ *	-	SM5S06ML-5S FL-SL7D ¹⁰ *	-
M504MR-5 FR-SL7B ¹⁰ *	-	M506MR-5 FR-SL7B ¹⁰ *	-
M504MR-5 FR-SL7D ¹⁰ *	-	M506MR-5 FR-SL7D ¹⁰ *	-
M5S04MR-5S FR-SL7B ¹⁰ *	-	M5S06MR-5S FR-SL7B ¹⁰ *	-
M5S04MR-5S FR-SL7D ¹⁰ *	-	M5S06MR-5S FR-SL7D ¹⁰ *	-
SM504MR-5 FR-SL7B ¹⁰ *	-	SM506MR-5 FR-SL7B ¹⁰ *	-
SM504MR-5 FR-SL7D ¹⁰ *	-	SM506MR-5 FR-SL7D ¹⁰ *	-
SM5S04MR-5S FR-SL7B ¹⁰ *	-	SM5S06MR-5S FR-SL7B ¹⁰ *	-
SM5S04MR-5S FR-SL7D ¹⁰ *	-	SM5S06MR-5S FR-SL7D ¹⁰ *	-
M504ML-5FR-SL7B ¹⁰ *	M504FL-5MR-SL7B ¹⁰ *	M506ML-5FR-SL7B ¹⁰ *	M506FL-5MR-SL7B ¹⁰ *
M504ML-5FR-SL7D ¹⁰ *	M504FL-5MR-SL7D ¹⁰ *	M506ML-5FR-SL7D ¹⁰ *	M506FL-5MR-SL7D ¹⁰ *
M5S04ML-5SFR-SL7B ¹⁰ *	M5S04FL-5SMR-SL7B ¹⁰ *	M5S06ML-5SFR-SL7B ¹⁰ *	M5S06FL-5SMR-SL7B ¹⁰ *
M5S04ML-5SFR-SL7D ¹⁰ *	M5S04FL-5SMR-SL7D ¹⁰ *	M5S06ML-5SFR-SL7D ¹⁰ *	M5S06FL-5SMR-SL7D ¹⁰ *
SM504ML-5FR-SL7B ¹⁰ *	SM504FL-5MR-SL7B ¹⁰ *	SM506ML-5FR-SL7B ¹⁰ *	SM506FL-5MR-SL7B ¹⁰ *
SM504ML-5FR-SL7D ¹⁰ *	SM504FL-5MR-SL7D ¹⁰ *	SM506ML-5FR-SL7D ¹⁰ *	SM506FL-5MR-SL7D ¹⁰ *
SM5S04ML-5SFR-SL7B ¹⁰ *	SM5S04FL-5SMR-SL7B ¹⁰ *	SM5S06ML-5SFR-SL7B ¹⁰ *	SM5S06FL-5SMR-SL7B ¹⁰ *
SM5S04ML-5SFR-SL7D ¹⁰ *	SM5S04FL-5SMR-SL7D ¹⁰ *	SM5S06ML-5SFR-SL7D ¹⁰ *	SM5S06FL-5SMR-SL7D ¹⁰ *