

PRODUCT-DETAILS

# TY253M

## CABLE TIE 50LB 11IN NATURAL NYLON



### General Information

Extended Product Type	TY253M
Product ID	7TAG009220R0001
EAN	5414363062295
Catalog Description	CABLE TIE 50LB 11IN NATURAL NYLON
Long Description	High Performance Cable Tie for Indoor applications, Natural Color Nylon 6.6, Length of 295mm (11.6 Inches) for Bundle Diameter up to 78mm (3.07 Inches), Width of 4.9mm (0.19 Inches), Tensile Strength Rating of 222 Newtons (50 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 85 Degrees Celsius (185 F), UL/EN/CSA62275 Type 2/215 Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Bulk Pack

### Ordering

E-Number (Finland)	1381519
EAN	5414363062295
UPC	786210839905
Country of Origin	United States (US)
Selling Unit of Measure	each

### Dimensions

Product Net Width	0.19 in 4.9 mm
Product Net Depth / Length	11.6 in 295 mm

---

## Container Information

Package Level 1 Units	1000 EA
Package Level 1 Width	137.16 mm 5.4 in
Package Level 1 Height	223.52 mm 8.8 in
Package Level 1 Depth / Length	426.466 mm 16.79 in
Package Level 2 Units	5000 EA
Package Level 2 Width	298.45 mm 11.75 in
Package Level 2 Height	247.65 mm 9.75 in
Package Level 2 Depth / Length	508 mm 20 in
Package Level 3 Units	175000 EA
Package Level 3 Width	0.025 mm 0.001 in
Package Level 3 Height	0.025 mm 0.001 in
Package Level 3 Depth / Length	0.025 mm 0.001 in

---

## Technical UL/CSA

Flammability According to UL94	V-2
-----------------------------------	-----

---

## Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 3.07 in 3 to 78 mm
Color	Natural
Effective Date	19720620
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.05 in 1.3 mm

---

## Certificates and Declarations

Data Sheet, Technical Information

TDS000518

Declaration of Conformity - CE

9AKK107492A9841

## Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

## Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

