

PRODUCT-DETAILS

TY27M

CABLE TIE 120LB 13.4IN NATURAL NYLO



General Information

Extended Product Type	TY27M
Product ID	7TAG009320R0003
EAN	5414363063247
Catalog Description	CABLE TIE 120LB 13.4IN NATURAL NYLO
Long Description	High Performance Cable Tie, Black Color Nylon 6.6, Length of 340mm (13.4 Inches) for Bundle Diameter up to 102mm (4 Inches), Width of 6.86mm (0.27 Inch), Tensile Strength Rating of 534 Newtons (120 Pounds), Operating Temperature of -30 Degrees Celsius (-22 F) to 85 Degrees Celsius (185 F), Bulk Pack

Ordering

E-Number (Finland)	1381521
EAN	5414363063247
UPC	786210824697
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions

Product Net Width	0.27 in 6.9 mm
-------------------	-------------------

Product Net Depth / Length	13.5 in 343 mm
----------------------------	-------------------

Container Information

Package Level 1 Units	500 EA
Package Level 1 Width	355.6 mm 14 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	558.8 mm 22 in
Package Level 2 Units	1000 EA
Package Level 2 Width	137.16 mm 5.4 in
Package Level 2 Height	386.08 mm 15.2 in
Package Level 2 Depth / Length	256.54 mm 10.1 in
Package Level 3 Units	104000 EA
Package Level 3 Width	0.025 mm 0.001 in
Package Level 3 Height	0.025 mm 0.001 in
Package Level 3 Depth / Length	0.025 mm 0.001 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	------------------------------------------------------------------------

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	Max 4.02 in Max 102 mm
Color	Natural
Effective Date	19670831
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	120 lb 534 N
Thickness	0.06 in 1.5 mm

Certificates and Declarations

Data Sheet, Technical Information	TDS000487
Declaration of Conformity - CE	9AKK107492A9841

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

