



PRODUCT-DETAILS

# TY272MX

## CBL TIE 120LB 9IN UV BLK NYLON



### General Information

Extended Product Type	TY272MX
Product ID	7TAG009330R0007
EAN	5414363063087
Catalog Description	CBL TIE 120LB 9IN UV BLK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/215 Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 224mm (8.8 Inches), Width of 6.9mm (0.27 Inch), Thickness of 1.5mm (0.06 Inches), Tensile Strength Rating of 534 Newtons (120 Pounds), Bulk Pack

### Ordering

EAN	5414363063087
UPC	786210850726
Country of Origin	United States (US)
Selling Unit of Measure	each

### Dimensions

Product Net Width	0.275 in 6.99 mm
-------------------	---------------------

Product Net Depth / Length	8.75 in 222.3 mm
----------------------------	---------------------

**Container Information**

Package Level 1 Units	500 EA
Package Level 1 Width	0 mm 0 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	5000 EA
Package Level 2 Width	345.44 mm 13.6 in
Package Level 2 Height	241.3 mm 9.5 in
Package Level 2 Depth / Length	543.56 mm 21.4 in
Package Level 3 Units	175000 EA
Package Level 3 Width	0.025 mm 0.001 in
Package Level 3 Height	0.025 mm 0.001 in
Package Level 3 Depth / Length	0.025 mm 0.001 in

**Technical UL/CSA**

Flammability According to UL94	V-2
--------------------------------	-----

**Additional Information**

Brand / Label	Ty-Rap
Bundle Diameter	0.236 to 1.97 in 6 to 50 mm
Color	Black
Effective Date	19750325
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	120 lb 530 N
Thickness	0.07 in 1.78 mm

**Certificates and Declarations**

Data Sheet, Technical Information	TDS000487
-----------------------------------	-----------

Declaration of  
Conformity - CE

9AKK107492A9841

---

### Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

---

---

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

