
PRODUCT-DETAILS

TYB24MX

CABLE TIE 40LB 5.5IN UV BK NYL WKBX



General Information

Extended Product Type	TYB24MX
Product ID	7TCG009960R0069
EAN	5414363067078
Catalog Description	CABLE TIE 40LB 5.5IN UV BK NYL WKBX
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 139.7mm (5.5 Inches), Width of 3.56mm (0.14 Inches), Thickness of 1.31mm (0.052 Inches), Tensile Strength Rating of 178 Newtons (40 Pounds), Workbench Box Packaging

Ordering

EAN	5414363067078
UPC	786210875507
Replacement Product ID (NEW)	7TAG009130R0009
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions

Product Net Width	0.14 in 3.56 mm
Product Net Depth /	5.5 in

Length 139.7 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	5.3 in 135 mm
Package Level 1 Height	5.3 in 135 mm
Package Level 1 Depth / Length	5.3 in 135 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	11.8 in 300 mm
Package Level 2 Height	6.3 in 160 mm
Package Level 2 Depth / Length	29.1 in 739 mm

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Application	For Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications
Brand / Label	Ty-Rap
Color	Black
Effective Date	19710617
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	TY-RAP FASTENING
Product Type	High Performance
Standards	UL E49405
Tensile Strength	40 lb 178 N
Thickness	0.05 in 1.31 mm

Certificates and Declarations

Data Sheet, Technical Information	TDS000566
Declaration of Conformity - CE	9AKK107492A9841

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

